


# GMC/OMC 4000, 5000, 6000, 7000 TWO TANK MODELS INSTALLATION DRAWING

## NOTES:

1. REFER TO INSTALLATION PROCEDURE AND INSTALLATION CHECKLIST. PROCEPTOR SEPARATORS MUST BE INSTALLED IN ACCORDANCE WITH ALL RELEVANT FEDERAL, PROVINCIAL/STATE, AND LOCAL CODES INCLUDING LOCAL PLUMBING CODE.
2. US PATENT # 5,746,912; CDN PATENT # 2,195,822
- 3.



\* ACTUAL HEIGHT MAY VARY SLIGHTLY  
 \*\* IF LENGTH IS GREATER THAN 4 FT.  
 TANK REQUIRES FACTORY REINFORCEMENT

PROCEPTOR MODEL	INLET INVERT TO TANK BOTTOM (H) Inches	HEIGHT OF ANTI-BUOYANCY SLAB (HBS) Inches	WEIGHT OF SINGLE TANK (Lbs)	TITLE: PROCEPTOR OIL AND GREASE SEPARATOR INSTALLATION DRAWING GMC/OMC MODELS 4000-7000(2)	REV	DATE	DRAWN
GMC/OMC 4000	79	37	1105	ALL DIMENSIONS IN INCHES	1	SEPTEMBER 13, 2007	L. SIMKINS
GMC/OMC 5000	96	49	1230	PROJECT: WO:	2	MAY 8, 2008	L. SIMKINS
GMC/OMC 6000	113	61	1365	OPTIONS:	3		
GMC/OMC 7000(2)	131	74	1485		4		
					5		
					6		
					7		
					8		
					9		
					10		
				DRAWN BY: L. SIMKINS			
				DRAWN DATE: FEBRUARY 12, 2007			
					SIZE	DWG. NO.	REV.
					A	INSTALL GMC/OMC 4000-7000(2)	2
					SCALE:1:60	DO NOT SCALE DRAWING	SHEET 1 OF 1

Proceptor<sup>TM</sup>  
 by greenturtle<sup>TM</sup>  
 US 877 428 8187 CAN 877 966 9444  
 www.greenturtletech.com